

TEST REPORT

NABL Accreditation: ISO/IEC 17025:2017, Certificate No. **TC-7581**

ULR No. : TC758126000000009F

Test Report No. : **714**

Name of Laboratory	:	All India Network Project on Pesticide Residue Pesticide Residues Laboratory, AAU, Anand
Location of performance	:	All India Network Project on Pesticide Residue Pesticide Residues Laboratory, AAU, Anand
Source of sample	:	Customer (Farmer) sample
Samples collected by	:	Customer (Samples received at the laboratory)
Date & time of sample collection	:	-
Date & time of sample receipt at the laboratory	:	23-03-2026
Environ. condition – Temperature (°C) during transportation	:	-
Condition when samples received at the laboratory	:	Samples were found suitable for the analysis
Period of sample analysis	:	23.03.2026 to 24.03.2026
Sample registration no. & date	:	As listed in the test report
Any deviation from method of analysis (Yes/No)	:	No
Name & Address of the Customer	:	Name : Unikisan Agrotech Pvt. Ltd. 101 Sethi Apartment, Kadbi Chowk, Nagpur – 440014, District : Nagpur – Maharashtra Mobile : 09975055618

	Vegetables & Fruits	Cereals	Pulses	Milk	Drinking Water
Test method used for Pesticides	SOP No. PRL/Analytical Method-01	SOP No. PRL/Analytical Method-08	SOP No. PRL/Analytical Method-09	-	SOP No. PRL/Analytical Method-16
Test method used for Antibiotics	-	-	-	SOP No. PRL/Analytical Method-15	-
Test method used for Elements	SOP No. PRL/Method-17	SOP No. PRL/Method-17	-	-	SOP No. PRL/Method-17

Document No.	FMT-43B	TEST REPORT (NABL-ACCREDITED PARAMETER & COMMODITY) – OTHER THAN MPRNL SAMPLES				Page No. 1 / 3
Issue No.	03	Prepared by	Reviewed by	Approved by	Issued by	
Issue date	01 Feb 2026					
Amendment No.	00	Quality Manager	Technical Manager	Head of the Laboratory	Quality Manager	
Amendment date	-Nil-					

FMT-43B

**ALL INDIA NETWORK PROJECT ON PESTICIDE RESIDUES AND
CONTAMINANTS
ANAND AGRICULTURAL UNIVERSITY, ANAND, GUJARAT (INDIA)**



TC-7581



TEST RESULTS

Sr. No.	Sample Type	Sample Code	Analyte Detected	Results (mg/kg)	MRLs (mg/kg)		LOQ (mg/kg)	MU (mg/kg)	Remarks If any
					Codex	FSSAI			
1	Bengal Gram (Desi Chana)	PRL-4985/CP/23/03/26	-	<LOQ	-	-	-	-	-
2	Raw Tur	PRL-4986/PE/23/03/26	-	<LOQ	-	-	-	-	-

MRLs = Maximum Residue Limits; LOQ = Limit of Quantification; MU = Measurement of Uncertainty; FSSAI = Food Safety and Standard Authority of India; NA = Not Available


Statement of Conformity: Laboratory does not give statement of conformity;

NOTE: Results apply to the samples as received.

Date of issue of the report : 30-03-2026

Milan N. Joshi
Research Associate


Name of Analyst



Signature of Analyst

Dr. L. V. Ghetiya
Head of the Laboratory

Name & Designation of
Signatory Authority



Signature of
Authority

**** END OF THE REPORT ****

1. The Pesticide Residue Laboratory (PRL) does not draw the samples unless or otherwise mentioned.
2. Retention of samples: After the analytical results have been reported, samples are routinely retained in our storage facilities for 15 days, after which the samples may be destroyed.
3. Under no circumstances, the PRL accepts any liability or loss/damage caused by the customer or misuse of the test report.
4. The liability is limited to the testing fee charged, in the case of proven negligence by the PRL.
5. The test report is generated based on actual sample(s) submitted by the customer.
6. The test report is not meant to use for any legal activities.
7. The test report shall not be reproduced except in full, without written approval of the laboratory.



Scan QR code to get
Scope of Accreditation

Document No.	FMT-43B	TEST REPORT (NABL-ACCREDITED PARAMETER & COMMODITY) - OTHER THAN MPRNL SAMPLES				Page No. 2 / 3
Issue No.	03	Prepared by	Reviewed by	Approved by	Issued by	
Issue date	01 Feb 2026					
Amendment No.	00	Quality Manager	Technical Manager	Head of the Laboratory	Quality Manager	
Amendment date	-Nil-					

List of tested analytes

No.	Name of Analyte	No.	Name of Analyte	No.	Name of Analyte
1	Acetamiprid	26	Diuron	51	Novaluron
2	Alachlor	27	Edifenphos	52	Omethoate
3	Aldrin	28	Emamectin Benzoate	53	p, p' DDD
4	Alpha Cypermethrin	29	Endosulfan sulfate	54	p, p' DDE
5	Alpha Endosulfan	30	Ethion	55	Parathion-methyl
6	Alpha HCH	31	Fenazaquin	56	Pendimethalin
7	Atrazine	32	Fenitrothion	57	Phorate
8	Azoxystrobin	33	Fenpropathrin	58	Phosalone
9	Bea Endosulfan	34	Fenpyroximate	59	Phosphamidon
10	Beta Cyfluthrin	35	Fenvalerate	60	Pretilachlor
11	Beta HCH	36	Flonicamid	61	Profenophos
12	Bifenthrin	37	Fluchloralin	62	Propargite
13	Buprofezin	38	Fluopicolide	63	Propiconazole
14	Butachlor	39	Gamma HCH	64	Pyraclostrobin
15	Carbendazim	40	Heptachlor	65	Pyriproxyfen
16	Carbofuran	41	Hexaconazole	66	Pyroxasulfone
17	Chlorantraniliprole	42	Imidacloprid	67	Quinalphos
18	Chlorfenvinphos	43	Iprobenfos	68	Spinosyn (A+D)
19	Chlorpyrifos	44	Isoproturon	69	Tebuconazole
20	Clothianidin	45	Lambda Cyhalothrin	70	Thiacloprid
21	Delta HCH	46	Malaoxon	71	Thiamethoxam
22	Deltamethrin	47	Malathion	72	Triazophos
23	Difenconazole	48	Metalaxyl	73	Tricyclazole
24	Dimethoate	49	Monocrotophos	74	Trifloxystrobin
25	Dimethomorph	50	Myclobutanil	75	Trifluralin

**** END OF THE TEST REPORT ****

Document No.	FMT-43B	TEST REPORT (NABL-ACCREDITED PARAMETER & COMMODITY) - OTHER THAN MPRNL SAMPLES				Page No. 3 / 3
Issue No.	03	Prepared by	Reviewed by	Approved by	Issued by	
Issue date	01 Feb 2026					
Amendment No.	00					
Amendment date	-Nil-	Quality Manager	Technical Manager	Head of the Laboratory	Quality Manager	

ANALYSIS REPORT

To,
Unikisan Agrotech Pvt. Ltd.
101, Sethi Apartment,
Kadbi Chawk,
Nagpur – 440 014
Maharashtra
Mobile : 09975055618

Test Report No. : **714**
Date of sample received : 23.03.2026
Sample received by : Dr. R. L. Kalasariya
Date of analysis started : 23.03.2026
Date of analysis completed : 24.03.2026

DETAILS OF THE TEST ITEM & METHODS USED

Sample type : Bengal gram (Desi Chana) and Raw Tur
Overall appearance at receipt : The submitted samples were suitable for the analysis
Test method used : Modified QuEChERS multiresidue method
Sampling procedure followed if any : -NA-

Document No.	FMT-44B	ANALYSIS REPORT (NON-ACCREDITED PARAMETER & COMMODITY) – OTHER THAN MPRNL SAMPLES				Page No. 1 / 6
Issue No.	03	Prepared by	Reviewed by	Approved by	Issued by	
Issue date	01 Feb 2026					
Amendment No.	00					
Amendment date	-Nil-	Quality Manager	Technical Manager	Head of the Laboratory	Quality Manager	



ANALYSIS RESULTS

Sr. No.	Sample Type	Sample Code	Analyte Detected	Results (mg/kg)	MRLs (mg/kg)		LOQ (mg/kg)	MU (mg/kg)	Remarks If any
					Codex	FSSAI			
1.	Bengal gram (Desi Chana)	PRL-4985/CP/23/03/26	-	<LOQ	-	-	-	-	-
2	Raw Tur	PRL-4986/PE/23/03/26	-	<LOQ	-	-	-	-	-

MRLs = Maximum Residue Limits; LOQ = Limit of Quantification; MU = Measurement of Uncertainty; FSSAI = Food Safety and Standard Authority of India; NA = Not Available

Statement of Conformity: Laboratory does not give statement of conformity;

NOTE: Results apply to the samples as received.

Date of issue of the report : 30-03-2026

Milan N. Joshi
Research Associate

Name of Analyst

Signature of Analyst

Dr. L. V. Ghetiya
Head of the Laboratory

Name & Designation of
Signatory Authority

Signature of
Authority


**** END OF THE REPORT ****

1. The Pesticide Residue Laboratory (PRL) does not draw the samples unless or otherwise mentioned.
2. Retention of samples: After the analytical results have been reported, samples are routinely retained in our storage facilities for 15 days, after which the samples may be destroyed.
3. Under no circumstances, the PRL accepts any liability or loss/damage caused by the customer or misuse of the test report.
4. The liability is limited to the testing fee charged, in the case of proven negligence by the PRL.
5. The test report is generated based on actual sample(s) submitted by the customer.
6. The test report is not meant to use for any legal activities.
7. The test report shall not be reproduced except in full, without written approval of the laboratory.

Document No.	FMT-44B	ANALYSIS REPORT (NON-ACCREDITED PARAMETER & COMMODITY) - OTHER THAN MPRNL SAMPLES				Page No. 2 / 6
Issue No.	03	Prepared by	Reviewed by	Approved by	Issued by	
Issue date	01 Feb 2026					
Amendment No.	00	Quality Manager	Technical Manager	Head of the Laboratory	Quality Manager	
Amendment date	-Nil-					

List of tested analytes

No.	Name of Analyte	No.	Name of Analyte	No.	Name of Analyte
1	2,3,5,6-tetrachloroaniline	35	Baythroid (cyfluthrin)	69	Chlorbenside
2	2,4'-methoxychlor	36	Benalaxyl	70	Chlorfenapyr
3	2,6 Dichlorobenzonitrile (Dichlobenil)	37	Bendiocarb	71	Chlorfenson
4	2-phenylphenol	38	Benfluralin	72	Chlorfenvinphos
5	3,4-dichloroaniline	39	Benfuracarb	73	Chlorfluazuron
6	3-hydroxy carbofuran	40	Benzoximate	74	Chlorobenzilate
7	4,4 Methoxychlor Olefin (DMDE)	41	Beta cyfluthrin	75	Chloroneb
8	Abamectin	42	Beta-BHC	76	Chlorothalonil
9	Acephate	43	Bifenazate	77	Chlorotoluron
10	Acequinocyl	44	Bifenthrin	78	Chloroxuron
11	Acetamidrid	45	Biphenyl	79	Chlorpropham
12	Acetochlor	46	Boscalid	80	Chlorpyrifos
13	Acibenzolar-S-methyl	47	Bromfenvinfos	81	Chlorpyrifos methyl
14	Acrinathrin	48	Bromfenvinfos-methyl	82	Chlorthiophos
15	Alachlor	49	Bromophos ethyl	83	Chlozolate
16	Alanycarb	50	Bromophos-methyl	84	Cis chlordane
17	Aldicarb	51	Bromopropylate	85	Cis nonachlor
18	Aldicarb sulfone	52	Bromuconazole	86	Cis permethrin
19	Aldicarb sulphoxide	53	Bupirimate	87	Clethodim
20	Aldrin	54	Buprofezin	88	Clofentezine
21	Allethrin	55	Butachlor	89	Clomazone (Command)
22	Allidochlor	56	Butafenacil	90	Clothianidin
23	Alpha cypermethrin	57	Butocarboxim	91	Coumaphos
24	Alpha-BHC	58	Butoxycarboxim	92	Cyazofamid
25	Ametryne	59	Captafol	93	Cycloate
26	Aminocarb	60	Captan	94	Cycluron
27	Amitraz	61	Carbaryl	95	Cymoxanil
28	Anthraquinone	62	Carbendazim	96	Cypermethrin
29	Atrazine	63	Carbetamide	97	Cyproconazole
30	Azinphos methyl (Guthion)	64	Carbofuran	98	Cyprodinyl
31	Azinphos-ethyl	65	Carbophenothion	99	Cyromazine
32	Azoxystrobin	66	Carboxin	100	DCPA (Dacthal, Chlorthal)
33	Baycarb	67	Carfentrazone-ethyl	101	Delta-BHC
34	Baycor (Bitertanol)	68	Chlorantraniliprole	102	Deltamethrin

Document No.	FMT-44B	ANALYSIS REPORT (NON-ACCREDITED PARAMETER & COMMODITY) - OTHER THAN MPRNL SAMPLES				Page No. 3 / 6
Issue No.	03	Prepared by	Reviewed by	Approved by	Issued by	
Issue date	01 Feb 2026					
Amendment No.	00					
Amendment date	-Nil-	Quality Manager	Technical Manager	Head of the Laboratory	Quality Manager	

No.	Name of Analyte	No.	Name of Analyte	No.	Name of Analyte
103	Desmedipham	137	Etaconazole	171	Fludioxonil
104	Di-allate	138	Ethalfuralin	172	Flufenacet
105	Diazinon	139	Ethiofencarb	173	Flufenoxuron
106	Dichlofluanid	140	Ethion	174	Fluometuron
107	Dichloran	141	Ethiprole	175	Fluopicolide
108	Diclobutrazol	142	Ethirimol	176	Fluoxastrobin
109	Dicrotophos	143	Ethofumesate	177	Fluquinconazole
110	Dieldrin	144	Ethylan (Perthane)	178	Fluridone
111	Diethofencarb	145	Etofenprox	179	Flusilazole
112	Difenoconazole	146	Etoxazole	180	Flutolanil
113	Diflubenzuron	147	Etridiazole	181	Flutriafol
114	Dimethachlor	148	Famoxadone	182	Folpet
115	Dimethoate	149	Fenamidone	183	Fonofos
116	Dimethomorph	150	Fenamiphos	184	Forchlorfenuron
117	Dimoxystrobin	151	Fenarimol	185	Formetanate hydrochloride
118	Diniconazole	152	Fenazaquin	186	Fuberidazole
119	Dinotefuran	153	Fenbuconazole	187	Furalaxyl
120	Dioxacarb	154	Fenhexamid	188	Furathiocarb
121	Diphenamid	155	Fenitrothion	189	Gamma-BHC (Lindane)
122	Diphenylamine	156	Fenoxycarb	190	Halofenozide
123	Disulfoton	157	Fenpropathrin	191	Halosulfuron Methyl
124	Diuron	158	Fenpropimorph	192	Heptachlor
125	Doramectin	159	Fenpyroximate	193	Heptachlor epoxide
126	Edifenphos	160	Fenson	194	Hexachlorobenzene
127	Emamectin benzoate	161	Fenthion	195	Hexaconazole
128	Endosulfan ether	162	Fenuron	196	Hexaflumuron
129	Endosulfan I	163	Fenvalerate	197	Hexazinone
130	Endosulfan II	164	Fipronil	198	Hexythiazox
131	Endosulfan sulfate	165	Fonicamid	199	Hydramethylnon
132	Endrin	166	Fluazifop-p-butyl	200	Imazalil
133	Endrin aldehyde	167	Fluazinam	201	Imidacloprid
134	Endrin ketone	168	Flubendiamide	202	Indoxacarb
135	Epoxiconazole	169	Fluchloralin	203	Iodofenphos
136	Eprinomectin	170	Flucythinate	204	Ipconazole

Document No.	FMT-44B	ANALYSIS REPORT (NON-ACCREDITED PARAMETER & COMMODITY) - OTHER THAN MPRNL SAMPLES				Page No. 4 / 6
Issue No.	03	Prepared by	Reviewed by	Approved by	Issued by	
Issue date	01 Feb 2026					
Amendment No.	00					
Amendment date	-Nil-	Quality Manager	Technical Manager	Head of the Laboratory	Quality Manager	

No.	Name of Analyte	No.	Name of Analyte	No.	Name of Analyte
205	Iprodione	239	Methyl parathion	273	Paclobutrazol
206	Iprovalicarb	240	Metobromuron	274	Parathion
207	Isazophos	241	Metolachlor	275	Pebulate
208	Isocarbofos	242	Metribuzin	276	Penconazole
209	Isodrin	243	Mevinphos	277	Pendimethalin
210	Isoprocab	244	Mexacarbate	278	Pentachloroaniline
211	Isopropalin	245	MGK (Dicarboxamide synergist)	279	Pentachloroanisole
212	Isoproturon	246	Mirex	280	Pentachlorobenzene
213	Ivermectin	247	Monceren (pencycuron)	281	Pentachlorobenzonitrile
214	Kresoxim methyl	248	Monocrotophos	282	Pentachloronitrobenzene
215	Lambda-cyhalothrin	249	Monolinuron	283	Pentachlorothioanisole
216	Lenacil	250	Moxidectin	284	Phenmedipham
217	Leptophos	251	Myclobutanil	285	Phenothrin
218	Linuron	252	N-(2,4-Dimethylphenyl) formamide	286	Phorate
219	Lufenuron	253	Neburon	287	Phosalone
220	Malaaxon	254	Nitenpyram	288	Phosmet
221	Malathion	255	Nitratin	289	Picoxystrobin
222	Mandipropamid	256	Nitrofen	290	Piperonyl butoxide
223	Mefenacet	257	Norflurazon	291	Pirimicarb
224	Mepanipyrim	258	Novaluron	292	Pirimiphos-ethyl
225	Mepronil	259	Nuarimol	293	Pirimiphos-methyl
226	Mesotrione	260	o,p'-DDD	294	Pretilachlor
227	Metaflumizone	261	o,p'-DDE	295	Prochloraz
228	Metalaxyl	262	o,p'-DDT	296	Procymidone
229	Metazachlor	263	o-ethyl-o-p-nitrophenyl thiophosphonate (EPN)	297	Prodiamine
230	Metconazole	264	Omethoate	298	Profenophos
231	Methabenzthiazuron	265	Oxadiazon	300	Profluoralin
232	Methacrifos	266	Oxadixyl	301	Promecarb
233	Methamidophos	267	Oxamyl	302	Prometon
234	Methiocarb	268	Oxyfluorfen	303	Prometryne
235	Methomyl	269	p,p'- DDD	304	Propachlor
236	Methoprotryne	270	p,p'- DDE	305	Propamocarb free base
237	Methoxychlor	271	p,p'- DDT (4,4-DDT)	306	Propanil
238	Methoxyfenozide	272	p,p'- dichlorobenzophenone	307	Propargite

Document No.	FMT-44B	ANALYSIS REPORT (NON-ACCREDITED PARAMETER & COMMODITY) – OTHER THAN MPRNL SAMPLES				Page No. 5 / 6
Issue No.	03	Prepared by	Reviewed by	Approved by	Issued by	
Issue date	01 Feb 2026					
Amendment No.	00					
Amendment date	-Nil-	Quality Manager	Technical Manager	Head of the Laboratory	Quality Manager	

No.	Name of Analyte	No.	Name of Analyte	No.	Name of Analyte
308	Propiconazole (Tilt)	342	Tebufenpyrad	376	Trichlorophon
309	Propisochlor	343	Tebuthiuron	377	Tricyclazole
310	Propoxur	344	Teflubenzuron	378	Trifloxystrobin
311	Propyzamide (Pronamide)	345	Tefluthrin	379	Triflumizole
312	Prothioconazole	346	Temephos (Abate)	380	Triflumuron
313	Pymetrozine	347	Terbacil	381	Trifluralin
314	Pyracarbolid	348	Terbufos	382	Triticonazole
315	Pyraclafos	349	Terbumeton	383	Vamidothion (Vamidoate)
316	Pyraclostrobin	350	Terbuthylazine	384	Vinclozolin
317	Pyrazophos	351	Terbutryne	385	Zoxamide
318	Pyridaben	352	Tetrachloronitrobenzene (Tecnazene)		
319	Pyridafenthion	353	Tetrachlorvinphos		
320	Pyrimethanil	354	Tetraconazole		
321	Pyriproxifen	355	Tetradifon		
322	Pyroxasulfone	356	Tetramethrin		
323	Quinalphos	357	Thiabendazole		
324	Quinoxifen	358	Thiacloprid		
325	Resmethrin	359	Thiamethoxam		
326	Ronnel (Fenchlorphos)	360	Thidiazuron		
327	Rotenone	361	Thiobencarb		
328	Secbumeton	362	Thiofanox		
329	Siduron	363	Thiophanate-methyl		
330	Simetryn	364	THPI (Tetrahydrophthalimide)		
331	Spinetoram (J&L)	365	Tokuthion (Prothiophos)		
332	Spinosad	366	Tolclofos-methyl		
333	Spirodiclofen	367	Tolyfluanid		
334	Spiromesifen	368	Trans-chlordane		
335	Spirotetramat	369	Transfluthrin		
336	Spiroxamine	370	Trans-nonachlor		
337	Sulfentrazone	371	Trans-permethrin		
338	Sulfotepp	372	Triadimefon		
339	Sulprofos (Bolstar)	373	Triadimenol		
340	Tau Fluvalinate	374	Tri-allate		
341	Tebuconazole	375	Triazophos		

**** END OF THE ANALYSIS REPORT ****

Document No.	FMT-44B	ANALYSIS REPORT (NON-ACCREDITED PARAMETER & COMMODITY) - OTHER THAN MPRNL SAMPLES				Page No. 6 / 6
Issue No.	03	Prepared by	Reviewed by	Approved by	Issued by	
Issue date	01 Feb 2026					
Amendment No.	00					
Amendment date	-Nil-	Quality Manager	Technical Manager	Head of the Laboratory	Quality Manager	